

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/7/920</u>	Examiner : <u>Trinh</u>	GAU : <u>2822</u>
From : <u>CA</u>	Location : <u>(IDC) FMF FDC</u>	Date : <u>2/23/05</u>
Tracking # : <u>06060259</u>		Week Date : <u>01/03/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input checked="" type="checkbox"/> 312 NOA	<u>Ex's Andt 12/20/04</u>	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: The Examiner's Amendment can't be applied because
Serial numbers 09/488,028 and 09/484,333 which the amendment
Cites in the directions, are not found in the specification
paragraph. please Resolve. Thank You (P)

[XRUSH] RESPONSE: _____

Please enter amendment at specification page
6, line 22, rather than page 1, line 6. See
corrected Ex's amendment.
Thank you

INITIALS: M.T.

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04